## Montana Board of Oil and Gas Conservation Environmental Assessment

**Operator:** Armstrong Operating, Inc.

Well Name/Number: Armstrong Peerless 1-7

Location: NW NW Section 7 T34N R46E County: Daniels , MT; Field (or Wildcat) W/C Air Quality (possible concerns) Long drilling time: No, 15 to 20 days drilling time. Unusually deep drilling (high horsepower rig): No, big double derrick drilling rig or a small triple derrick drilling rig to drill to 7,100' TD. Possible H2S gas production: Yes, possible. In/near Class I air quality area: No Class I air quality area Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-211. Mitigation: X Air quality permit (AQB review) \_\_ Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Big double derrick drilling rig or a small triple derrick drilling rig to drill to 7,100' TD. No special concerns. **Water Quality** (possible concerns) Salt/oil based mud: Yes, freshwater and freshwater mud system on surface hole and salt saturated mud system on mainhole. High water table: None anticipated. Surface drainage leads to live water: No, closest surface drainage is an unnamed ephemeral tributary to West Fork Poplar River, about 3/8 of a mile to the southwest from Water well contamination: No, closest water wells are about ½ of a mile to the northwest, about 5/8 of a mile to the northwest, 7/8 of a mile to the northwest and 7/8 of a mile to the southeast from this location. Depth of these water wells range from 13' to 400'. Surface casing setting depth of 1000'. Surface hole will be drilled with freshwater and surface casing set and cemented back to surface from 1000'. Porous/permeable soils: No, sandy clay soils. Class I stream drainage: No Class I stream drainages in the area of review. Mitigation: X Lined reserve pit \_X\_ Adequate surface casing Berms/dykes, re-routed drainage \_\_ Closed mud system \_\_ Off-site disposal of solids/liquids (in approved facility) Other: Comments: 1000' of surface casing cemented to surface adequate to protect freshwater zones.

## Soils/Vegetation/Land Use

	Soils/Vegetation/Land Use
(possit	ole concerns)
	ossings: None
	sion potential: No, small cut up to 5.8' and small fill, up to 3.7' required.
	oil productivity: No, location will be restored after drilling, if nonproductive.
productive	e unused portion of drillsite will be reclaimed.
Unusually	/ large wellsite: No, 300'X400' location size required.
Damage 1	to improvements: Slight
	ith existing land use/values: Slight, surface use cultivated land.
M	itigation
	_ Avoid improvements (topographic tolerance)
	Exception location requested
	Strong Crossing Remait (ather a garay review)
_	- ,
	<ul> <li>Reclaim unused part of wellsite if productive</li> <li>Special construction methods to enhance reclamation</li> </ul>
	Other
	nents: <u>Using existing county road, Police Creek Road and existing section</u>
	I. Will have to build about 834' of new access road into location off existing
	I. Drilling and completion fluids will be recycled to the next location the
	g fluid will be hauled to a commercial Class II disposal Cuttings will be left
the lined	pit. Cuttings and pit will be buried after being allowed to dry. No special
concerns	
	Health Hazards/Noise
(noooih	do concerna)
	ole concerns)
Proximity	to public facilities/residences: Closest residences are about ½ of a mile to
Proximity northwest	to public facilities/residences: Closest residences are about $\frac{1}{2}$ of a mile to tand 1.25 miles to the southeast from this location.
Proximity northwest Possibility	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible.
Proximity northwest Possibility Size of rig	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible.  g/length of drilling time: Big double or small triple drilling rig/moderate 15 to
Proximity northwes Possibility Size of rig days drilli	to public facilities/residences: Closest residences are about ½ of a mile to t and 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time.
Proximity northwes Possibility Size of rig days drilli	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible.  g/length of drilling time: Big double or small triple drilling rig/moderate 15 to
Proximity northwes: Possibility Size of rig days drilli	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible.  g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time.  itigation:
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation:  K_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: CProper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements
Proximity northwes: Possibility Size of rig days drilli	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: <pre> </pre> Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other:
Proximity northwes Possibility Size of rig days drilli  M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to any time. itigation: <a href="#">C</a> Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Other: Omments: Proper BOP and adequate surface casing should mitigate any
Proximity northwes Possibility Size of rig days drilli  M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: CProper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation:  K_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Other: Domments: Proper BOP and adequate surface casing should mitigate any No concerns.  Wildlife/recreation
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tand 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: <pre> </pre> CProper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Other: Comments: Proper BOP and adequate surface casing should mitigate any No concerns.  Wildlife/recreation  Other Concerns  Wildlife/recreation  Other Concerns  Wildlife/recreation  Other Concerns  Other Concerns  Wildlife/recreation  Other Concerns  Other Concerns  Other Concerns  Topographic Structure of the southeast from this location.  Wildlife/recreation  Other Concerns  Other Concerns
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to te and 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  itigation: <pre> </pre> Length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  itigation: <pre> <pre> Length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  itigation:  <pre> Length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  Itigation:  <pre> Length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  Itigation:  <pre> Length of drilling time: Big double or small triple drilling rig/moderate 15 to ang time.  Itigation:  <pre> Length of H2S: Yes, H2S possible.</pre></pre></pre></pre></pre></pre>
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tend 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation:  CProper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Other: Omments: Proper BOP and adequate surface casing should mitigate any. No concerns.  Wildlife/recreation ble concerns) to sensitive wildlife areas (DFWP identified): None identified. to recreation sites: None identified.
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tend 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: <pre>K_Proper BOP equipment</pre> _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ omments: Proper BOP and adequate surface casing should mitigate any . No concerns.  Wildlife/recreation ble concerns) to sensitive wildlife areas (DFWP identified): None identified. to recreation sites: None identified. of new access to wildlife habitat: No
Proximity northwes Possibility Size of rig days drilli M	to public facilities/residences: Closest residences are about ½ of a mile to tend 1.25 miles to the southeast from this location.  y of H2S: Yes, H2S possible. g/length of drilling time: Big double or small triple drilling rig/moderate 15 to ng time. itigation: <pre> <pre></pre></pre>

indicates 3 species of concern in this area. They are the Baird's Sparrow, Sprague's		
Pipit a	nd the Bobolink.	
	Mitigation:	
	Avoidance (topographic tolerance/exception)	
	_X Other agency review (DFWP, federal agencies, DSL)	
	Screening/fencing of pits, drillsite	
	Other:	
	Comments: DNRC Trust Lands will do surface EA. Surface use is cultivated	
<u>lands.</u>	No concerns.	
	Historical/Cultural/Paleontological	
(noo		
	ssible concerns)	
PIOXIII	nity to known sites: None identified.	
	Mitigation	
	avoidance (topographic tolerance, location exception)	
	other agency review (SHPO, DSL, federal agencies)	
	Other: Comments: _DNRC Trust Lands will do surface EA. Surface use is cultivated	
landa	No concerns.	
iaiius.	NO CONCERNS.	
	Social/Economic	
(nos	ssible concerns)	
(600	Substantial effect on tax base	
	Create demand for new governmental services	
	Population increase or relocation	
	Comments: No concerns.	
	Comments. 140 concerns.	
	Remarks or Special Concerns for this site	
	·	
Wel	l is a 7,100' TD vertical Nisku Formation test in Daniels County.	
	Summary: Evaluation of Impacts and Cumulative effects	
No sig	nificant long term impacts expected, some short term impacts are expected.	
	ude that the approval of the subject Notice of Intent to Drill (does/does not)	
constitute a major action of state government significantly affecting the quality of the		
	n environment, and (does/does not) require the preparation of an environmental	
impact	statement.	
_		
	red by (BOGC):_/s/Steven Sasaki	
(title:)_	Chief Field Inspector	

Date: <u>July 11, 2011</u>
Other Persons Contacted:
_Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
_Daniels County water wells
(subject discussed)
_July 11, 2011(date)
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Daniels County, Montana
(subject discussed)
<u>July 11, 2011</u>
Montana Natural Heritage Program Website
(Name and Agency)
Heritage State Rank= S1, S2, S3, Location T34N R46E
(subject discussed)
<u>July 11, 2011</u>
(date)
If location was inspected before permit approval:
Inspection date: _July 12, 2011
Inspector: Mr. Schmidt
Others present during inspection: None